

Substitute for form 1449/APTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i> Sheet 1 of 1	ATTY. DOCKET NO. E1449-00001	APPLICATION NO.
	FIRST NAMED APPLICANT Kenneth W. Holappa	EXAMINER Not assigned
	FILING DATE Filed Herewith	GROUP:

U.S. PATENT DOCUMENTS

EXAMINER INITIALS	Cite No.	DOCUMENT NUMBER	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
<i>AK</i>	AA	6,605,947	Liao	08/12/03	
<i>AK</i>	AB	6,164,132	Matulek	12/26/00	
<i>AK</i>	AC	5,406,803	Casto, II	04/18/95	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS	Cite No.	Office	DOCUMENT NUMBER	COUNTRY	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T

OTHER DOCUMENTS

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date page(s), volume-issue number(s), publisher, city and/or country where published.	T
<i>AK</i>	AD	Two (2) pages from Maxi-Aids, Inc. website www.maxiaids.com for "Vibrating Liquid Level Indicator", "Sensa Cup Level Indicator MK 111", and "Easy Say Stop Liquid Level Indicator"	
EXAMINER <i>Andre K. Jackson</i>			DATE CONSIDERED <i>09/27/05</i>
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.			